

ManPy Documentation

Table of Contents

1	Introduction and Scope.....	3
2	How to get started.....	4
3	Architecture.....	5
3.1	ManPy Generic (Abstract Classes).....	5
3.1.1	CoreObject.....	6
3.1.1.1	Definition methods.....	7
3.1.1.2	Transaction methods.....	7
3.1.1.3	Control methods.....	7
3.1.1.4	Supplementary methods.....	8
3.1.1.5	Output and calculation methods.....	8
3.1.1.6	Main simulation method.....	9
3.1.2	ObjectInterruption.....	9
3.1.3	Entity.....	10
3.1.4	ObjectResource.....	10
3.1.5	Auxiliary.....	10
3.2	Expanding the Code.....	11
4	Examples.....	13
4.1	A single server model.....	13
4.2	Two servers model with failures and repairman.....	15
4.3	An assembly line.....	17
4.4	Parallel stations and Queue customization.....	19
4.5	Parallel stations and counting the parts of each machine.....	23
4.6	Stochastic model.....	26
4.7	Job-Shop Examples.....	28
4.7.1	A simple Job-Shop.....	28
4.7.2	A Job-Shop with scheduling rules.....	31
4.8	Output trace to Excel.....	37
4.9	Batches and SubBatches.....	39
4.9.1	Batch decomposition.....	39
4.9.2	Serial Batch Processing.....	42
4.9.3	Clearing batch lines.....	45
4.10	Output Analysis.....	48

1 Introduction and Scope

ManPy stands for "Manufacturing in Python" and it is a layer of Discrete Event Simulation (DES) objects built in SimPy (<http://simpy.sourceforge.net/>). The current version of ManPy is based on SimPy2 (<http://simpy.sourceforge.net/old/>). This happens because at the time ManPy implementation progressed, the newest version was not available. We plan to progress to SimPy3 (<http://simpy.readthedocs.org/en/latest/>) soon. This is not supposed to affect in a great extend this documentation.

The scope of the project is to provide simulation modellers with a collection of open-source DES objects that can be connected like "black boxes" in order to form a model. This collection is desired to be expandable by giving means to developers for:

- customizing existing objects by overriding certain methods
- adding brand new objects to the list

ManPy is product of a research project funded from the European Union Seventh Framework Programme (FP7-2012-NMP-ICT-FoF) under grant agreement n° 314364. The project name is DREAM and stands for "*Simulation based application Decision support in Real-time for Efficient Agile Manufacturing*". More information about the scope of DREAM can be found at <http://dream-simulation.eu/>.

DREAM is a project which kicked off in October of 2012 and finishes in September of 2015. ManPy is an ongoing project and we do not claim that it is complete or bug-free. The platform will be expanded and validated through the industrial pilot cases of DREAM. Nevertheless, it is in a quite mature state to attract the interest of simulation modellers and software developers.

The dream repository contains the following 3 folders:

- **platform**: contains code for a GUI that is being build for ManPy. This is a parallel work and it is not always synchronized to ManPy's latest version
- **simulation**: contains all the simulation ManPy code along with some input files and some files from a commercial simulation package that are used for verification
- **test**: contains unit-tests for the project.

This document regards ONLY the ManPy part of the project. Note that ManPy is independent from the GUI and can be used separately as a library of simulation objects, which can be used to form a model. Users can implement alternative methods to be able to construct models, run them and get results.

The reader of this documentation needs to have basic, yet not deep knowledge of programming in Python (<http://www.python.org/>) and SimPy2. Also the reader is expected to have a basic knowledge of the Discrete Event Simulation (DES) technique.

2 How to get started

To be able to run the documentation examples just copy the dream folder to your Python folder. Then you can import ManPy objects as it is written in the examples, e.g.:

- *from dream.simulation.Queue import Queue* or
- *from dream.simulation.imports import Machine, Source, Exit*

ManPy uses the following Python libraries which need to be installed in order to run the examples:

- SimPy2
- NumPy
- SciPy
- xlrd
- xlwt

3 Architecture

ManPy objects are written exclusively in Python and they use methods of SimPy. Figure 1 shows the current state of the architecture.




Figure 1: The ManPy class hierarchy.

In Figure 1 four different layers are depicted:

- On the top we have SimPy classes
- The top layer of ManPy is a set of generic, abstract classes. There are not supposed to have instances, nevertheless they are important because:
 - they help in the grouping of objects
 - generic methods are defined for all those classes which the simulation objects inherit and override
- Below the generic objects lies the basic core of ManPy objects. This is currently being populated and expanded.
- On the bottom we have custom objects of ManPy. These inherit from one object of the basic core and customize it according to the needs of the modeller

In the remaining of this chapter the generic classes of ManPy will be described.

3.1 ManPy Generic (Abstract Classes)

The layer of abstract classes is the “heart” of ManPy. These give the basic guidelines of how the platform is structured. Note that since this is an ongoing work, the names of the classes may change, since we currently think towards the best abstraction. Also new generic classes might be added in future versions, even though the number should be kept reasonably short. The abstract classes include:

- **CoreObject**: all the stations in a model that are permanent for the model. These can be servers or buffers of any type.
- **ObjectInterruption**: all the objects that can affect the availability of another object. For example failures, scheduled breaks, shifts etc.
- **Entity**: all objects that get processed by or wait in CoreObjects and they are not permanent in a model. For example parts in a production line, customers in a shop, calls in a call centre etc.
- **ObjectResource**: all the resources that might be necessary for certain operation of a CoreObject. For example repairman, operator, electric power etc. An ObjectResource is necessary in modelling when two or more CoreObjects compete for the same resource (e.g. two machines competing for the same operator).
- **Auxiliary**: These are auxiliary classes that are needed for different simulation functionalities. Unlike the other categories described here, auxiliary classes do not inherit from one parent class, even though it is depicted in such a way in Figure1 for reasons of coherence.

In the following subsection each category of generic classes will be described in more depth.

3.1.1 CoreObject

As CoreObjects are categorized all the stations in a model that are permanent for the model. These can be servers or buffers of any type. It is in the philosophy of ManPy that the CoreObjects will handle most of the simulation logic, so that a more generic process oriented approach is achieved. CoreObjects inherit from SimPy.Process class.

CoreObjects should be able to communicate no matter what their type is. For example, a Machine should be able to retrieve an Entity from another CoreObject, using the same code, no matter if this CoreObject is a Queue or also a Machine. For this reason all the CoreObjects implement a set of methods which have the same name, but different implementation for every object. This set of methods includes:

- Definition methods**: are used for the instantiation of the object
- Transaction methods**: are used to define how the objects exchange entities
- Control methods**: are used to retrieve the state of an object
- Supplementary methods**: are used to define certain objects in Transactions or Control methods
- Output and calculation methods**: are used either to output results or trace in different formats or to make certain calculations
- Main simulation method**: just one method that is used to control the progress of the object in the simulated time. In Python terms this is a generator method and it is the only one where the *yield* commands of SimPy can be invoked

Also, CoreObjects share some conventions for certain variables listed below:

- *Res*: this is an instance SimPy.resource type. It keeps the Entities that the CoreObject holds in its activeQ, in which we also refer to as the “internal queue” of the core object in this documentation (not to be confused with the Queue object).
- *next*: a list that holds all the successors of the CoreObject, i.e. the CoreObjects to which the object can give an Entity.
- *previous*: a list that holds all the predecessors of the CoreObject, i.e. the CoreObjects from which the object can receive an Entity.
- *successorIndex*: an integer that points to the successor of *next* that the CoreObject can give an Entity at every moment off simulation time.
- *predecessorIndex*: an integer that points to the predecessor of *previous* from which the CoreObject can receive an Entity at every moment off simulation time

Note that *next* and *previous* lists may be empty. This can happen for several reasons:

- For certain objects it is not logical to have both lists. For example an Exit object should not have any successors
- Sometimes the flow is completely dependent on Entities attributes (e.g. in a jobshop). In such cases objects do not need to have predecessors or successors.

CoreObjects share also several other attributes that hold certain important values. For example *timeLastEntityEntered* holds the simulation time that an Entity entered in the CoreObject. Also they have counters that hold certain results. For example *totalFailureTime* holds the failure time for a CoreObject, which can be divided by the length of the simulation run in order to give the percentage of time that the CoreObject was in failure. The list of such variables is currently populated.

Below we will discuss the methods of each of the 6 categories of generic methods.

3.1.1.1 Definition methods

These are used for the instantiation of the object. 3 such methods exist:

- *__init__*: this is the python constructor method. This method is ran when the instance is created.
- *initialize*: this method initializes the object for a simulation replication. It should not be confused with the constructor above. The constructor is ran only in the creation of the object, while initialize must be ran in the beginning of every replication.
- *defineRouting*: it defines the *next* and *previous* lists, i.e. successor and predecessor objects.

3.1.1.2 Transaction methods

These handle the transactions of Entities between CoreObjects. In every transaction two CoreObjects take part. The giver object is the one that gives the entity and the receiver object is the one that obtains it.

Two such methods exist:

- *removeEntity*: it is ran on the giver object and it removes an Entity from it. The objects sort the Entities they hold in such a way, so that the object that will be removed is the first object of the internal queue.
- *getEntity*: it is ran on the receiver object and it obtains an Entity from the giver. In essence it calls the *removeEntity* method of the giver object and adds the Entity to each internal queue

3.1.1.3 Control methods

For every object they provide information about its state. They return true or false. 3 such methods exist:

- *canAccept*: returns true if the object is in a state to receive an Entity. The logic depends on the type of the object. For example in a Queue the capacity might need to be checked, while an Exit object might always be in the state of receiving an Entity. Note that sometimes it is needed that this method should return true only to the object that it can receive the Entity from. In this case, the object that calls the method must be passed as an argument.
- *haveToDispose*: returns true if the object is in a state to give an Entity. The logic depends on the type of the object. For example a Queue may need to check only if it does hold one or more Entities, while a Machine might need to check also if the Entity that it holds has ended its processing. Note that sometimes it is needed that this method should return true only to the object that it can give the Entity to. In this case, the object that calls the method must be passed as an argument.
- *canAcceptAndIsRequested*: returns true only when both conditions are satisfied: the object is in the state to accept an Entity and also another object is requesting to give one Entity to it. As we will see, only when this method returns true the main simulation logic of the object is started.

Note that contrary to the other methods described in this section, this one is expected to be called only internally from an object (there is no need for a *CoreObject* to call *canAcceptAndIsRequested* of another). So it is not obligatory that the name is the same for all *CoreObjects*. Nevertheless, for reasons of coherence this method is mentioned here and we believe that all the *CoreObjects* should keep the naming convention.

3.1.1.4 Supplementary methods

These methods are used to obtain specific objects that are needed for the transaction and control methods. Six such methods exist:

- *getActiveObject*: returns the active object in the transaction. This always returns *self*, and they can be used interchangeably (though *self* should be faster since it does not call a method).
- *getActiveObjectQueue*: returns the internal queue of the active object. This always returns *self.Res.activeQ*, but it is preferred to use the method since it makes the code cleaner and lesser need of knowledge of the internals of *ManPy* is achieved.
- *getGiverObject*: returns the giver object in a transaction.
- *getGiverObjectQueue*: returns the internal queue of the giver object in a transaction.
- *getReceiverObject*: returns the receiver object in a transaction.
- *getReceiverObjectQueue*: returns the internal queue of the receiver object in a transaction.

3.1.1.5 Output and calculation methods

Perform calculations or output data. Five such methods exist:

- *sortEntities*: it sorts the Entities in the internal queue of the *CoreObject*. Many times this method might not be needed. However, there are times when it is essential. E.g. when a Queue needs to sort its Entities according to a predefined rule.
- *calculateProcessingTime*: Calculates the processing time every time one Entity gets into the *CoreObject* for processing.
- *postProcessing*: is called for every object in the end of a simulation replication, The purpose is to perform certain calculations. For example, if a Machine is still processing an Entity when the simulation ends, this processing time should be added so that the results are accurate. Note that when an object is complex, sometimes it is difficult to debug such a method. On the other hand, in a long simulation run a mistake in this method would most probably not introduce a large error.
- *outPutResultsJSON*: outputs the results of the object in a JSON format. All the objects output to the same JSON file. If we have more than one replications, the results are given in confidence intervals.
- *outPutResultsXL*: outputs the results of the object in an Excel file. All the objects output to the same Excel file. If we have more than one replications, the results are given in confidence intervals. To save the excel file the user should add *G.outputFile.save("filename.xls")* in the main script.
- *outPutTrace*: outputs trace in an Excel sheet when an important event happens (e.g. an Entity gets into the *CoreObject*). All the objects output to the same Excel file and the events are sorted in increasing timestamp. The trace is essential for debugging. To run a model that is believed to be verified, it should be turned off since it slows the program significantly.

Note that contrary to the other methods described in this section, the 3 output methods and *postProcessing* are expected to be called only internally from an object or from a main script (e.g. there is no need for a *CoreObject* to call *outPutResultsJSON* of another). So it is not obligatory that the name is the same for all *CoreObjects*. Nevertheless, for reasons of coherence these methods are mentioned here.

ManPy users are invited to write new methods for objects, in case they desire to output results in different format (e.g. XML). Also it is logical that ManPy users would like to override these methods to customize the results that they get.

3.1.1.6 Main simulation method

Here the logic that the `CoreObject` follows as it evolves through time. There is only one such method:

- *run*: this is a generator method and it is the only one where the *yield* commands of SimPy can be used. For this reason *run* requires that the user knows the internals of SimPy in order to customize. It is common (but not obligatory) that in such a method there is a *while* loop that runs all through the simulated time. The logic followed in every `CoreObject`'s *run* method is:
 1. Wait until *canAcceptAndIsRequested* becomes true.
 2. Call object's *getEntity* method so that it obtains the Entity from a giver object.
 3. Carry on the logic of the object (unique for every different type).
 4. When the process is ended the *haveToDispose* method should return true to the object that can be a receiver. Of course this can change again (e.g. from a failure while the machine was blocked).
 5. Stay there. The loop cannot start again if it should not, since step 1 takes care of it. When at some point some receiver object calls the `CoreObject`'s *removeEntity* method this may change and the loop will restart.

3.1.2 ObjectInterruption

As `ObjectInterruptions` are categorized all the objects that can affect the availability of another object. For example failures, scheduled breaks, shifts etc. These objects also inherit from `SimPy.Process` class.

The most important attribute of an `ObjectInterruption` is *victim* which is the `CoreObject` whose the availability the `ObjectInterruption` handles. This `CoreObject` is also the one that creates and activates the instance of the `ObjectInterruption` object.

Currently there are three generic methods for these objects:

- *outPutTrace*: outputs trace in an Excel sheet when an important event happens (e.g. a Machine gets a failure). All the `ObjectInterruptions` output to the same Excel file as the `CoreObjects` and the events are sorted in increasing timestamp. The trace is essential for debugging. To run a model that is believed to be verified, it should be turned off since it slows the program significantly.
- *getVictimQueue*: returns the internal queue of the victim `CoreObject`.
- *run*: this is a generator method and it is the only one where the *yield* commands of SimPy can be used. For this reason *run* requires that the user knows the internals of SimPy in order to customize. Generally the victim `CoreObject` is the one that activates the `ObjectInterruption`, but this is not obligatory. It is common (but not obligatory) that in such a method there is a *while* loop that runs all through the simulated time. The logic followed in an `ObjectInterruption`'s *run* method is:
 1. Hold until an interruption should happen
 2. Passivate the victim
 3. Hold until the interruption should be stopped
 4. Reactivate the victim
 5. Restart the start of the loop

3.1.3 Entity

As Entities are categorized all objects that get processed by or wait in CoreObjects and they are not permanent in a model. For example parts in a production line, customers in a shop, calls in a call centre etc.

Entities can get into the model from a Source type CoreObject or be set as Work In Progress (WIP) at the start of the simulation run. They hold certain general attributes such as *creationTime* that holds the time that the Entity entered the model.

ManPy Entities do NOT inherit from SimPy.Process class. This is in alignment with the philosophy of having the CoreObjects handling most of the simulation logic. So the CoreObjects handle how the Entities move and evolve through simulated time. Of course it is possible that certain properties (such as routing or processing time needed) may be kept in an Entity's attributes, which the CoreObject will read.

Currently there are two generic methods for these objects:

- *outPutResultsJSON*: outputs the results of the object in a JSON format. All the Entities output to the same JSON file as the CoreObjects.
- *initialize*: initializes the Entity at the start of each replication.

3.1.4 ObjectResource

As ObjectResource are categorized all the resources that might be necessary for certain operation of a CoreObject. For example repairman, operator, electric power etc. An ObjectResource is necessary in modelling when two or more CoreObjects compete for the same resource (e.g. two machines competing for the same operator).

ManPy ObjectResources do NOT inherit from SimPy.Process class. This is in alignment with the philosophy of having the CoreObjects handling most of the simulation logic. So the CoreObjects handle how the ObjectResources move and evolve through simulated time. Of course it is possible that certain properties may be kept in an ObjectResource's attributes, which the CoreObject will read.

One important attribute if the ObjectResource is *Res*. *Res* is an instance SimPy.resource type and it allows other objects to request or release the resource (SimPy *yield.request* and *yield.release* respectively).

- *postProcessing*: Same functionality with CoreObject method with the same name
- *outPutResultsJSON*: Same functionality with CoreObject method with the same name
- *outPutResultsXL*: Same functionality with CoreObject method with the same name
- *outPutTrace*: Same functionality with CoreObject method with the same name
- *initialize*: Same functionality with CoreObject method with the same name
- *checkIfResourcesAvailable*: returns true if there is one or more available units of the ObjectResource.
- *getResource*: returns the resource (*self.Res*)
- *getResourceQueue*: returns the activeQueue of the resource (*self.Res.activeQueue*)

3.1.5 Auxiliary

These are auxiliary classes that are needed for different simulation functionalities. Unlike the other categories described here, auxiliary classes do not inherit from one parent class, even though it is considered a good practice that they are grouped and presented here for reasons of coherence.

Three categories of auxiliary classes exist currently in ManPy.

- *G*: contains global variables for the simulation such as the length of the simulation run, the number of the simulation replications etc. *G* can be imported with the line *from Globals import G*. Some important conventions:

- G.ObjList is a list that should hold all the CoreObjects.
 - G.maxSimTime is a float that defines the length of the simulation run.
 - G.seed is an integer that holds the seed for random number generation.
- *RandomNumberGenerator*: contains methods to create random variables that follow certain distributions. In the current version of ManPy only a few distributions listed below are supported, but this is to be expanded:
 - Fixed
 - Exponential
 - Normal
 - Erlang
- *MainScript*: as main script we name every script (it is not necessary a class) that reads a ManPy simulation model, creates it, runs it and returns the results. The input and output can be of whatever form. There are currently two different main scripts *LineGenerationJSON* and *LineGenerationCMSD* that read the data using different formats. Also, all the examples demonstrated in the next section are main scripts. Nevertheless, it is desired that users can implement and use different main scripts according to their needs. A main script should perform the following operations:
 1. Read or define the objects
 2. Create the objects
 3. Define the structure and set the topology of the model (predecessors and successors) if needed
 4. In every replication:
 - i. initialize the simulation (SimPy.initialize)
 - ii. initialize CoreObjects, ObjectResources and Entities
 - iii. set the WIP if needed
 - iv. activate the objects
 - v. run the simulation (SimPy.simulate)
 - vi. call postProcessing method of the objects
 5. After the simulation is over output the results in a desirable way

3.2 Expanding the Code

In the last subsection the architecture, generic methods and the logic of ManPy were described. Understanding the above, it should be possible for someone to make a new object of any of the 5 categories described and incorporate it into the platform. New objects may be:

- Customized objects that inherit from an existing one and override certain methods
- Completely new objects, that implement their versions of the methods

In order to reduce the learning curve, it is desired that ManPy keeps the set of methods as short as possible. However, adding a new eneric method in a new object is also possible. Let's suppose for example that a CoreObject named *newCoreObject* requires having *newCoreObjectMethod* that will also be called by other objects in the model. Then the developer can implement the version for *newCoreObjectMethod* that he wishes for the *newCoreObject*, but he should also add an empty version of the method to the parent object. So in CoreObject the following should be added:

```
def newCoreObjectMethod(self):
    pass
```

In case *newCoreObjectMethod* requires arguments, they should be defined as optional. In this way the method can be called for every CoreObject without causing the code to crash and the objects can still interact as black boxes.

In the next section examples of how to construct, customize and run a ManPy model will be given.

4 Examples

4.1 A single server model

The first example shown here is a simple model of a production line that consists only from a point of entry (Source) one server (Machine) and a point of exit (Exit). A graphical representation of the model is shown in Figure2 (Note, Figure2 and other figures in this section, are screenshots from the DREAM GUI. They are presented here for convenience, in order to make the text more understandable. This documentation is specific for ManPy and does NOT cover the DREAM GUI).




Figure2: Single server model

As values we have the following:

- The source produces parts. One part is produced every 30 seconds
- The Machine processes one part at a time. The processing time is 15 seconds
- We want to study the system for 24 hours

Below is the ManPy main script to run this model (dream\simulation\Examples\SingleServer.py):

```
from dream.simulation.imports import Machine, Source, Exit, Part, G
from dream.simulation.imports import simulate, activate, initialize

#define the objects of the model
S=Source('S1','Source',interarrivalTime={'distributionType':'Fixed','mean':0.5},
entity='Dream.Part')
M=Machine('M1','Machine',
processingTime={'distributionType':'Fixed','mean':0.25})
E=Exit('E1','Exit')

G.ObjList=[S,M,E]    #add all the objects in G.ObjList so that they can be easier
accessed later

#define predecessors and successors for the objects
S.defineRouting(successorList=[M])
M.defineRouting(predecessorList=[S],successorList=[E])
E.defineRouting(predecessorList=[M])

def main():
```

```

initialize()                                #initialize the simulation (SimPy
method)

#initialize all the objects
for object in G.ObjList:
    object.initialize()

#activate all the objects
for object in G.ObjList:
    activate(object, object.run())

G.maxSimTime=1440.0        #set G.maxSimTime 1440.0 minutes (1 day)

simulate(until=G.maxSimTime)    #run the simulation

#carry on the post processing operations for every object in the topology
for object in G.ObjList:
    object.postProcessing()

#print the results
print "the system produced", E.numOfExits, "parts"
working_ratio = (M.totalWorkingTime/G.maxSimTime)*100
print "the total working ratio of the Machine is", working_ratio, "%"
return {"parts": E.numOfExits,
        "working_ratio": working_ratio}

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

the system produced 2880 parts
the working ratio of the Machine is 50.0 %

```

Some notes on the code:

- We see that imports of all the needed ManPy and SimPy classes are done manually. This is generally better practice, but the user can also use *from dream.simulation.imports import ** to import everything from ManPy/SimPy.
- In the examples of this tutorial we always define a function main() which is the “main” program to be run. In the end we include the line `if __name__ == '__main__': main()` so that the program executes
- In every example there is a *return* statement. This is done for reasons of testing and it should not bother the reader. The fact is that since the project is ongoing, we keep the results under unit testing (check here -> <https://github.com/nexedi/dream/blob/master/dream/tests/testSimulationExamples.py>), so that we can ascertain changes in the code do not affect the execution of the examples.
- ManPy needs and abstract time unit. The user defines what this is. In this model we picked minutes. The length of the simulation is set to 1440 minutes (24 hours).
- ManPy time units are decimals. So 30 and 15 seconds have been translated to 0.5 and 0.25 minutes respectively.
- *defineRouting* in most CoreObjects gets two lists as arguments (perdecessorList, successorList) with this sequence. In special cases like the Source and the Exit only one list is required. In this example the name of the argument is specified when the method is called, but if the user gives the inputs with the same sequence (see next examples) the result shall be the same.

- We see that distributions such as interarrival and processing times are defined for the objects as Python dictionaries. This way there is more flexibility in the attributes a distribution needs.

We see the results are logical:

- In 1440 minutes and a part coming every 0.5 minutes and staying in the system 0.25 minutes (no blocking) it is normal to produce 2880 parts
- Since parts come every 30 seconds and the machine processes them for 15 seconds it is logical

(Note: all the programs presented here, and generally ManPy objects are verified against a commercial simulation package. We use Plant Simulation - http://www.plm.automation.siemens.com/en_us/products/tecnomatix/plant_design/plant_simulation.shtml)

4.2 Two servers model with failures and repairman

The second model is a bit more complex. The graphical representation is available in Figure3




Figure4: Two servers model with failures and repairman

In this model we have two Machines and a Queue between them. The Machines are vulnerable to failures and when a failure happens then they need a repairman to get fixed. In our model there is only one repairman named Bob available. We have the following data:

- The source produces parts. One part is produced every 30 seconds
- For Machine1
 - Processing time is Fixed to 15 seconds
 - MTTF is 1 hour
 - MTTR is 5 minutes
- For Machine2
 - Processing time is Fixed to 90 seconds
 - MTTF is 40 minutes
 - MTTR is 10 minutes
- The capacity of the Queue is 1
- We want to study the system in a 24 hours period and identify the number of items that are produced, the blockage ratio in Machine1 and the working ration of the repairman.

Below is the ManPy main script to run this model (dream\simulation\Examples\TwoServers.py):

```

from dream.simulation.imports import Machine, Source, Exit, Part, G, Repairman,
Queue, Failure
from dream.simulation.imports import simulate, activate, initialize

#define the objects of the model
R=Repairman('R1', 'Bob')
S=Source('S1', 'Source',
interarrivalTime={'distributionType': 'Fixed', 'mean':0.5}, entity='Dream.Part')
M1=Machine('M1', 'Machine1',
processingTime={'distributionType': 'Fixed', 'mean':0.25})
Q=Queue('Q1', 'Queue')
M2=Machine('M2', 'Machine2',
processingTime={'distributionType': 'Fixed', 'mean':1.5})
E=Exit('E1', 'Exit')

#create failures
F1=Failure(victim=M1,
distribution={'distributionType': 'Fixed', 'MTTF':60, 'MTTR':5}, repairman=R)
F2=Failure(victim=M2,
distribution={'distributionType': 'Fixed', 'MTTF':40, 'MTTR':10}, repairman=R)

G.ObjList=[S,M1,M2,E,Q]    #add all the objects in G.ObjList so that they can be
easier accessed later
G.MachineList=[M1,M2]

G.ObjectInterruptionList=[F1,F2]    #add all the objects in G.ObjList so that
they can be easier accessed later

#define predecessors and successors for the objects
S.defineRouting([M1])
M1.defineRouting([S],[Q])
Q.defineRouting([M1],[M2])
M2.defineRouting([Q],[E])
E.defineRouting([M2])

def main():
    initialize()                #initialize the simulation (SimPy
                                method)

    #initialize all the objects
    R.initialize()

    for object in G.ObjList:
        object.initialize()

    for objectInterruption in G.ObjectInterruptionList:
        objectInterruption.initialize()

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    for objectInterruption in G.ObjectInterruptionList:
        activate(objectInterruption, objectInterruption.run())

    G.maxSimTime=1440.0        #set G.maxSimTime 1440.0 minutes (1 day)

    simulate(until=G.maxSimTime)    #run the simulation

    #carry on the post processing operations for every object in the topology

```



```

for object in G.ObjList:
    object.postProcessing()
R.postProcessing()

#print the results
print "the system produced", E.numOfExits, "parts"
blockage_ratio = (M1.totalBlockageTime/G.maxSimTime)*100
working_ratio = (R.totalWorkingTime/G.maxSimTime)*100
print "the blockage ratio of", M1.objName, "is", blockage_ratio, "%"
print "the working ratio of", R.objName, "is", working_ratio, "%"
return {"parts": E.numOfExits,
        "blockage_ratio": blockage_ratio,
        "working_ratio": working_ratio}

if __name__ == '__main__':
    main()

```

```

the system produced 732 parts
the blockage ratio of Machine1 is 78.1770833333 %
the working ratio of Bob is 26.7361111111 %

```

Some notes:

- It is handy to declare the Repairman first so that the failures take him as argument
- For the Repairman the *initialize* and *postProcessing* methods should also be ran, but not the *activate* (Repairman is in the category of ObjectResource that is not a SimPy.process)
- We see that failures had also to be created, activated and initialized

4.3 An assembly line

In this example we use another ManPy object. Assembly takes two types of Entities, parts and frames. A frame can be loaded with a number of parts. The logic is that the Assembly waits first for a frame and when it has one then it loads the parts to it when they arrive.




Figure4: An assembly line

- "Parts" produces parts. One part is produced every 30 seconds
- "Frames" produces parts. One frame is produced every 2 minutes

- A Frame has a fixed capacity of 4 parts
- The Assembly has a fixed processing time of 2 minutes
- For Machine
 - Processing time is Fixed to 15 seconds
 - MTTF is 1 hour
 - MTTR is 5 minutes
- We want to study the system in 24 hours and identify the number of items that are produced and the blockage ratio in Assembly.

Below is the ManPy main script to run this model (dream\simulation\Examples\AssemblyLine.py):

```
from dream.simulation.imports import Machine, Source, Exit, Part, Frame,
Assembly, Failure, G
from dream.simulation.imports import simulate, activate, initialize

#define the objects of the model
Frame.capacity=4
Sp=Source('SP','Parts',
interarrivalTime={'distributionType':'Fixed','mean':0.5}, entity='Dream.Part')
Sf=Source('SF','Frames', interarrivalTime={'distributionType':'Fixed','mean':2},
entity='Dream.Frame')
M=Machine('M','Machine',
processingTime={'distributionType':'Fixed','mean':0.25})
A=Assembly('A','Assembly', processingTime={'distributionType':'Fixed','mean':2})
E=Exit('E1','Exit')

F=Failure(victim=M,
distribution={'distributionType':'Fixed','MTTF':60,'MTTR':5})

G.ObjList=[Sp,Sf,M,A,E]    #add all the objects in G.ObjList so that they can be
easier accessed later

G.ObjectInterruptionList=[F]    #add all the objects in G.ObjList so that they
can be easier accessed later

#define predecessors and successors for the objects
Sp.defineRouting([A])
Sf.defineRouting([A])
A.defineRouting([Sp,Sf],[M])
M.defineRouting([A],[E])
E.defineRouting([M])

def main():
    initialize()                #initialize the simulation (SimPy
method)

    for object in G.ObjList:
        object.initialize()

    for objectInterruption in G.ObjectInterruptionList:
        objectInterruption.initialize()

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    for objectInterruption in G.ObjectInterruptionList:
        activate(objectInterruption, objectInterruption.run())
```

```

G.maxSimTime=1440.0      #set G.maxSimTime 1440.0 minutes (1 day)

simulate(until=G.maxSimTime)    #run the simulation

#carry on the post processing operations for every object in the topology
for object in G.ObjList:
    object.postProcessing()

#print the results
print "the system produced", E.numOfExits, "frames"
working_ratio=(A.totalWorkingTime/G.maxSimTime)*100
print "the working ratio of", A.objName, "is", working_ratio, "%"
return {"frames": E.numOfExits,
        "working_ratio": working_ratio}

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

the system produced 664 frames
the working ratio of Assembly is 92.3611111111 %

```

Note that the capacity of the frames is set as an attribute of the class with *Frame.capacity=4*

4.4 Parallel stations and Queue customization

In this example we will see some deeper aspects of customizing an object. Our model consists of a source, a buffer and two Milling machines that work in parallel. A graphical representation is given in Figure5. We have the following data:

- The source produces parts. One part is produced every 30 seconds
- For Machine1
 - Processing time is Fixed to 15 seconds
 - MTTF is 1 hour
 - MTTR is 5 minutes
- For Machine2
 - Processing time is Fixed to 15 seconds
 - No failures
- The capacity of the Queue is infinite
- We want to study the system in 24 hours and identify the number of items that are produced, the working ratio of both Machines




Figure5: Parallel stations and Queue customization

To model this scenario we need nothing more than we already described. The code is given below (dream\simulation\Examples\ParallelServers1.py)

```

from dream.simulation.imports import Machine, Source, Exit, Part, Queue, G,
Failure
from dream.simulation.imports import simulate, activate, initialize, infinity

#define the objects of the model
S=Source('S','Source', interarrivalTime={'distributionType':'Fixed','mean':0.5},
entity='Dream.Part')
Q=Queue('Q','Queue', capacity=infinity)
M1=Machine('M1','Milling1',
processingTime={'distributionType':'Fixed','mean':0.25})
M2=Machine('M2','Milling2',
processingTime={'distributionType':'Fixed','mean':0.25})
E=Exit('E1','Exit')

F=Failure(victim=M1,
distribution={'distributionType':'Fixed','MTTF':60,'MTTR':5})

G.ObjList=[S,Q,M1,M2,E]    #add all the objects in G.ObjList so that they can be
easier accessed later

G.ObjectInterruptionList=[F]    #add all the objects in G.ObjList so that they
can be easier accessed later

#define predecessors and successors for the objects
S.defineRouting([Q])
Q.defineRouting([S],[M1,M2])
M1.defineRouting([Q],[E])
M2.defineRouting([Q],[E])
E.defineRouting([M1,M2])

def main():

```

```

initialize()                                #initialize the simulation (SimPy
method)

for object in G.ObjList:
    object.initialize()

for objectInterruption in G.ObjectInterruptionList:
    objectInterruption.initialize()

#activate all the objects
for object in G.ObjList:
    activate(object, object.run())

for objectInterruption in G.ObjectInterruptionList:
    activate(objectInterruption, objectInterruption.run())

G.maxSimTime=1440.0        #set G.maxSimTime 1440.0 minutes (1 day)

simulate(until=G.maxSimTime)    #run the simulation

#carry on the post processing operations for every object in the topology
for object in G.ObjList:
    object.postProcessing()

#print the results
print "the system produced", E.numOfExits, "parts"
working_ratio_M1=(M1.totalWorkingTime/G.maxSimTime)*100
working_ratio_M2=(M2.totalWorkingTime/G.maxSimTime)*100
print "the working ratio of", M1.objName, "is", working_ratio_M1, "%"
print "the working ratio of", M2.objName, "is", working_ratio_M2, "%"
return {"parts": E.numOfExits,
        "working_ratio_M1": working_ratio_M1,
        "working_ratio_M2": working_ratio_M2}

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

the system produced 2880 parts
the working ratio of Milling1 is 23.0902777778 %
the working ratio of Milling2 is 26.9097222222 %

```

We see that Milling2 is slightly busier than Milling1. This is logical since Milling1 gets also failures. Let's assume now, that in our real system, Milling1 has a greater priority than Milling2, i.e a part will go to Milling1, unless it is not available so it will go to Milling2.

The default behaviour of Queue is to handle things in a cyclic way (if both successors available select first Milling1 then Milling2 etc). To change this we have to override Queue's *haveToDispose* method.

The code is given below (dream\simulation\Examples\ParallelServers2.py).

```

from dream.simulation.imports import Machine, Source, Exit, Part, Queue, G,
Globals, Failure
from dream.simulation.imports import simulate, activate, initialize, infinity

#the custom queue
class SelectiveQueue(Queue):

```

```

def haveToDispose(self, callerObject=None):
    caller=callerObject
    # if the caller is M1 then return true if there is an Entity to give
    if caller.id=='M1':
        return len(self.getActiveObjectQueue())>0
    # else return true only if M1 cannot accept the Entity
    if caller.id=='M2':
        # find M1
        M1=Globals.findObjectById('M1') # global method to obtain an object
from the id
        return len(self.getActiveObjectQueue())>0 and (not (M1.canAccept()))

#define the objects of the model
S=Source('S', 'Source', interarrivalTime={'distributionType': 'Fixed', 'mean':0.5},
entity='Dream.Part')
Q=SelectiveQueue('Q', 'Queue', capacity=infinity)
M1=Machine('M1', 'Milling1',
processingTime={'distributionType': 'Fixed', 'mean':0.25})
M2=Machine('M2', 'Milling2',
processingTime={'distributionType': 'Fixed', 'mean':0.25})
E=Exit('E1', 'Exit')

F=Failure(victim=M1,
distribution={'distributionType': 'Fixed', 'MTTF':60, 'MTTR':5})

G.ObjList=[S,Q,M1,M2,E] #add all the objects in G.ObjList so that they can be
easier accessed later

G.ObjectInterruptionList=[F] #add all the objects in G.ObjList so that they
can be easier accessed later

#define predecessors and successors for the objects
S.defineRouting([Q])
Q.defineRouting([S], [M1,M2])
M1.defineRouting([Q], [E])
M2.defineRouting([Q], [E])
E.defineRouting([M1,M2])

def main():
    initialize() #initialize the simulation (SimPy
method)

    for object in G.ObjList:
        object.initialize()

    for objectInterruption in G.ObjectInterruptionList:
        objectInterruption.initialize()

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    for objectInterruption in G.ObjectInterruptionList:
        activate(objectInterruption, objectInterruption.run())

    G.maxSimTime=1440.0 #set G.maxSimTime 1440.0 minutes (1 day)

    simulate(until=G.maxSimTime) #run the simulation

    #carry on the post processing operations for every object in the topology

```

```

for object in G.ObjList:
    object.postProcessing()

#print the results
print "the system produced", E.numOfExits, "parts"
working_ratio_M1=(M1.totalWorkingTime/G.maxSimTime)*100
working_ratio_M2=(M2.totalWorkingTime/G.maxSimTime)*100
print "the working ratio of", M1.objName, "is", working_ratio_M1, "%"
print "the working ratio of", M2.objName, "is", working_ratio_M2, "%"
return {"parts": E.numOfExits,
        "working_ratio_M1": working_ratio_M1,
        "working_ratio_M2": working_ratio_M2}

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

the system produced 2880 parts
the working ratio of Milling1 is 46.1805555556 %
the working ratio of Milling2 is 3.81944444444 %

```

We see now that the working ration of Milling2 is drastically reduced that is natural since it takes parts only when Milling1 is busy or failed.

Some notes on the code:

- SelectiveQueue is a new custom object. It has its own version of *haveToDispose*, but in everything else it is identical to Queue.
- Q is now of type SelectiveQueue
- The implementation of SelectiveQueue is highly custom. It works only in this model with the given ids ('M1' and 'M2'). A more generic NewQueue could be made. Users are welcome to customize their objects at different levels:
 - Objects for specific models like the SelectiveQueue shown
 - More generic objects so that the user can re-use the in different models
 - Even more generic objects so that the user can share them with other users. Here documentation would be essential.

4.5 Parallel stations and counting the parts of each machine

In the previous example, we assume that in the Exit we want to count how many parts were processed by Milling1 and how many by Milling2. For this we need to make 3 modifications:

- Create two new global variables:
 - G.NumM1 as a counter that counts the parts that were processed by Milling1
 - G.NumM2 as a counter that counts the parts that were processed by Milling2
- Create a new Machine type named Milling. This will override the *getEntity* method so that it sets an attribute to the part that shows from which Milling it passed
- Create a new Exit type named CountingExit. This will override the *getEntity* method so that it reads the attribute of the part and increments the global counters accordingly

The code is given below (dream\simulation\Examples\ParallelServers3.py).

```

from dream.simulation.imports import Machine, Source, Exit, Part, Queue, G,
Globals, Failure
from dream.simulation.imports import simulate, activate, initialize, infinity

#the custom queue
class SelectiveQueue(Queue):
    def haveToDispose(self, callerObject=None):
        caller=callerObject
        # if the caller is M1 then return true if there is an Entity to give
        if caller.id=='M1':
            return len(self.getActiveObjectQueue())>0
        # else return true only if M1 cannot accept the Entity
        if caller.id=='M2':
            # find M1
            M1=Globals.findObjectById('M1') # global method to obtain an object
from the id
            return len(self.getActiveObjectQueue())>0 and (not (M1.canAccept()))

#the custom machine
class Milling(Machine):
    def getEntity(self):
        activeEntity=Machine.getEntity(self) #call the parent method to
get the entity
        part=self.getActiveObjectQueue()[0] #retrieve the obtained part
        part.machineId=self.id #create an attribute to the
obtained part and give it the value of the object's id
        return activeEntity #return the entity obtained

#the custom exit
class CountingExit(Exit):
    def getEntity(self):
        activeEntity=Exit.getEntity(self) #call the
parent method to get the entity
        #check the attribute and update the counters accordingly
        if activeEntity.machineId=='M1':
            G.NumM1+=1
        elif activeEntity.machineId=='M2':
            G.NumM2+=1
        return activeEntity #return the entity obtained

#define the objects of the model
S=Source('S', 'Source', interarrivalTime={'distributionType': 'Fixed', 'mean':0.5},
entity='Dream.Part')
Q=SelectiveQueue('Q', 'Queue', capacity=infinity)
M1=Milling('M1', 'Milling1',
processingTime={'distributionType': 'Fixed', 'mean':0.25})
M2=Milling('M2', 'Milling2',
processingTime={'distributionType': 'Fixed', 'mean':0.25})
E=CountingExit('E1', 'Exit')

F=Failure(victim=M1,
distribution={'distributionType': 'Fixed', 'MTTF':60, 'MTTR':5})

G.ObjList=[S,Q,M1,M2,E] #add all the objects in G.ObjList so that they can be
easier accessed later

G.ObjectInterruptionList=[F] #add all the objects in G.ObjList so that they
can be easier accessed later

#create the global counter variables
G.NumM1=0

```



```

G.NumM2=0

#define predecessors and successors for the objects
S.defineRouting([Q])
Q.defineRouting([S],[M1,M2])
M1.defineRouting([Q],[E])
M2.defineRouting([Q],[E])
E.defineRouting([M1,M2])

def main():
    initialize()                                #initialize the simulation (SimPy
method)

    for object in G.ObjList:
        object.initialize()

    for objectInterruption in G.ObjectInterruptionList:
        objectInterruption.initialize()

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    for objectInterruption in G.ObjectInterruptionList:
        activate(objectInterruption, objectInterruption.run())

    G.maxSimTime=1440.0        #set G.maxSimTime 1440.0 minutes (1 day)

    simulate(until=G.maxSimTime)    #run the simulation

    #carry on the post processing operations for every object in the topology
    for object in G.ObjList:
        object.postProcessing()

    #print the results
    print "the system produced", E.numOfExits, "parts"
    working_ratio_M1=(M1.totalWorkingTime/G.maxSimTime)*100
    working_ratio_M2=(M2.totalWorkingTime/G.maxSimTime)*100
    print "the working ratio of", M1.objName, "is", working_ratio_M1, "%"
    print "the working ratio of", M2.objName, "is", working_ratio_M2, "%"
    print M1.objName, "produced", G.NumM1, "parts"
    print M2.objName, "produced", G.NumM2, "parts"
    return {"parts": E.numOfExits,
            "working_ratio_M1": working_ratio_M1,
            "working_ratio_M2": working_ratio_M2,
            "NumM1":G.NumM1,
            "NumM2":G.NumM2}

if __name__ == '__main__':
    main()

```

```

the system produced 2880 parts
the working ratio of Milling1 is 46.1805555556 %
the working ratio of Milling2 is 3.81944444444 %
Milling1 produced 2660 parts
Milling2 produced 220 parts

```

4.6 Stochastic model

All the models so far have been deterministic. Real systems tend to be random with different reasons of stochasticity. In stochastic models we have to run many replications with different random seeds and give the results in confidence intervals.

We take our second example (dream\simulation\Examples\TwoServers.py) and we extend it into a stochastic situation. The model is the same, the only change is that the machines have stochastic processing times. More specifically:

- Machine1 processing time follows the normal distribution with mean=0.25, stdev=0.1, min=0.1, max=1 (all in minutes)
- Machine2 processing time follows the normal distribution with mean=1.5, stdev=0.3, min=0.5, max=5 (all in minutes)

The failures and the interarrival times remain deterministic as before.

Below is the ManPy main script to run this model (dream\simulation\Examples\TwoServersStochastic.py):

```
from dream.simulation.imports import Machine, Source, Exit, Part, G, Repairman,
Queue, Failure
from dream.simulation.imports import simulate, activate, initialize

#define the objects of the model
R=Repairman('R1', 'Bob')
S=Source('S1', 'Source', interarrivalTime={'distributionType': 'Exp', 'mean':0.5},
entity='Dream.Part')
M1=Machine('M1', 'Machine1',
processingTime={'distributionType': 'Normal', 'mean':0.25, 'stdev':0.1, 'min':0.1, 'max':1})
M2=Machine('M2', 'Machine2',
processingTime={'distributionType': 'Normal', 'mean':1.5, 'stdev':0.3, 'min':0.5, 'max':5})
Q=Queue('Q1', 'Queue')
E=Exit('E1', 'Exit')

#create failures
F1=Failure(victim=M1,
distribution={'distributionType': 'Fixed', 'MTTF':60, 'MTTR':5}, repairman=R)
F2=Failure(victim=M2,
distribution={'distributionType': 'Fixed', 'MTTF':40, 'MTTR':10}, repairman=R)

G.ObjList=[S,M1,M2,E,Q] #add all the objects in G.ObjList so that they can be
easier accessed later

G.ObjectInterruptionList=[F1,F2] #add all the objects in G.ObjList so that
they can be easier accessed later

#define predecessors and successors for the objects
S.defineRouting([M1])
M1.defineRouting([S],[Q])
Q.defineRouting([M1],[M2])
M2.defineRouting([Q],[E])
E.defineRouting([M2])

G.maxSimTime=1440.0 #set G.maxSimTime 1440.0 minutes (1 day)
G.numberOfReplications=10 #set 10 replications
G.confidenceLevel=0.99 #set the confidence level. 0.99=99%

#run the replications
for i in range(G.numberOfReplications):
```

```

    G.seed+=1          #increment the seed so that we get different random numbers
in each run.

    initialize()        #initialize the simulation (SimPy
method)

    #initialize all the objects
    R.initialize()
    for object in G.ObjList:
        object.initialize()

    for objectInterruption in G.ObjectInterruptionList:
        objectInterruption.initialize()

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    for objectInterruption in G.ObjectInterruptionList:
        activate(objectInterruption, objectInterruption.run())

    simulate(until=G.maxSimTime)    #run the simulation

    #carry on the post processing operations for every object in the topology
    for object in G.ObjList:
        object.postProcessing()
    R.postProcessing()

    #output data to excel for every object
    for object in G.ObjList:
        object.outputResultsXL()
    R.outputResultsXL()

    G.outputFile.save("output.xls")

```

Running this we get in output.xls the following:

CI 99.0% for the mean percentage of Failure of Machine1 is:	9.027777778	9.027777778	9.027777778
CI 99.0% for the mean percentage of Working of Machine1 is:	13.21558456	13.43094118	13.64629779
CI 99.0% for the mean percentage of Blockage of Machine1 is:	77.27388917	77.46520978	77.65653039
CI 99.0% for the mean percentage of Waiting of Machine1 is:	-0.007231159	0.076071267	0.159373692
CI 99.0% for the mean percentage of Failure of Machine2 is:	19.79166667	19.79166667	19.79166667
CI 99.0% for the mean percentage of Working of Machine2 is:	76.20502455	76.32917505	76.45332555
CI 99.0% for the mean percentage of Blockage of Machine2 is:	0	0	0
CI 99.0% for the mean percentage of Waiting of Machine2 is:	3.755007787	3.879158287	4.003308786
CI 99.0% for the mean Throughput in Exit	726.9260137	732.7	738.4739863

is:

CI 99.0% for the mean Lifespan of an entity that exited from Exit is:	534.7520536	541.4770217	548.2019899
CI 99.0% for the avg takt time in Exit is:	1.949213849	1.964516654	1.979819458

Some notes:

- This main script needs a loop where all the replications are ran. In every replication the random number seed should be changed and also the objects initialized and activated again.
- The results presented here are the standard results the CoreObjects of every type output. The user can customize this by overriding the *outputResultsXL* method of an object.
- In order to calculate confidence intervals ManPy uses SciPy (<http://www.scipy.org/>). The user can obtain the outcome of every run individually and apply his own analysis.
- G.outputFile is a ManPy global to define the output excel file.
- In the normal distribution it is on the developer's responsibility not to give irrational values. For example if a processing time is negative ManPy will crash, Another example if min is larger than max in normal distribution, ManPy would also raise an error.
- We see that we have a left bound for the waiting time of M1 that is negative. This is not wrong; the confidence interval is just a statistical analysis of a number of results. Of course in reality the waiting time cannot be less than 0.
- In some results all 3 numbers are the same. This is because failures are still deterministic and they are not affected by stochasticity. The same applies for the Repairman.

4.7 Job-Shop Examples

4.7.1 A simple Job-Shop

So far all the CoreObjects had dedicated predecessors and successors. There are situations where it is desirable to model a job shop system where CoreObjects can give/receive to/from whichever other CoreObject in the model. The information of which CoreObject is the next station is an attribute of the Entity. As an example we give the model of Figure 6. In this model there are 3 Queues, 3 Machines and an Exit. Every entity will have to start from a CoreObject and have its route and processing times assigned to its attributes.



Figure 6: a simple job shop

To model such situations ManPy object repository has the following objects:

- **MachineJobShop**: inherits from Machine and overrides the logic of methods such as *haveToDispose* in order to be able to give to every CoreObject in the model. Also, it overrides *canAccept* and *canAcceptAndIsRequested* in order to be able to receive from every CoreObject in the model. The next CoreObject is read by the Entity's attributes and this is done in *getEntity*. Finally, it overrides *calculateProcessingTime* in order to calculate the processing time according to the Entity's attributes.
- **QueueJobShop**: inherits from Queue and overrides the logic of methods such as *haveToDispose* in order to be able to give to every CoreObject in the model. Also, it overrides *canAccept* and *canAcceptAndIsRequested* in order to be able to receive from every CoreObject in the model. The next CoreObject is read by the Entity's attributes and this is done in *getEntity*.
- **ExitJobShop**: inherits from Exit but overrides the logic of methods such as *canAcceptAndIsRequested* in order to be able to receive from every CoreObject.
- **Job**: inherits from Entity. One of its attributes is a list named *route*. This list has the following form $[[id1, processingTime1], [id2, processingTime2], \dots, [idN, processingTimeN]]$. Every item in *route* corresponds to the id of a CoreObject and the processing time in this CoreObject. Another attribute called *remainingRoute* is also a list that holds the future stops of a Job at any moment of simulation time. In the beginning of the simulation these lists are equal. Current implementation of Job can be used only for Fixed processing times. Job has also a list named *schedule*, which is updated by the CoreObject every time it receives the Job. This holds the output for the Job, i.e. which stations it entered and when.

In our first simple example we assume that we have only one Job in the model shown in Figure 6. Our data for this Job is:

- It starts in Queue1 and it has to visit Machine1, Machine3 and Machine2 (in this sequence) before it exits the system
- Its processing time in M1 is 1
- Its processing time in M3 is 3
- Its processing time in M2 is 2

Below is the ManPy main script to run this model (dream\simulation\Examples\JobShop1.py):

```
from dream.simulation.imports import MachineJobShop, QueueJobShop, ExitJobShop,
Globals, Job, G
from dream.simulation.imports import simulate, activate, initialize, infinity

#define the objects of the model
Q1=QueueJobShop('Q1', 'Queue1', capacity=infinity)
Q2=QueueJobShop('Q2', 'Queue2', capacity=infinity)
Q3=QueueJobShop('Q3', 'Queue3', capacity=infinity)
M1=MachineJobShop('M1', 'Machine1')
M2=MachineJobShop('M2', 'Machine2')
M3=MachineJobShop('M3', 'Machine3')
E=ExitJobShop('E', 'Exit')

G.ObjList=[M1,M2,M3,Q1,Q2,Q3,E]    #add all the objects in G.ObjList so that they
can be easier accessed later

#define the route of the Job in the system
J1Route=[{"stationIdsList": ["Q1"]},
          {"stationIdsList": ["M1"], "processingTime": {"distributionType":
"Fixed", "mean": "1"}},
          {"stationIdsList": ["Q3"]},
          {"stationIdsList": ["M3"], "processingTime": {"distributionType":
"Fixed", "mean": "3"}},
          {"stationIdsList": ["Q2"]},
          {"stationIdsList": ["M2"], "processingTime": {"distributionType":
"Fixed", "mean": "2"}},
          {"stationIdsList": ["E"],}]

#define the Jobs
J=Job('J1', 'Job1', route=J1Route)
G.EntityList=[J]    #a list to hold all the jobs

def main():
    initialize()    #initialize the simulation (SimPy
method)

    #initialize all the objects
    for object in G.ObjList:
        object.initialize()
    J.initialize()

    #set the WIP
    Globals.setWIP(G.EntityList)

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    simulate(until=infinity)    #run the simulation until there are no more
events
```

```

        G.maxSimTime=E.timeLastEntityLeft    #calculate the maxSimTime as the time
that the last Job left

        #loop in the schedule to print the results
        returnSchedule=[]    # dummy variable used just for returning values and
testing
        for record in J.schedule:
            returnSchedule.append([record[0].objName,record[1]])
            print J.name, "got into", record[0].objName, "at", record[1]
        return returnSchedule

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

Job1 got into Queue1 at 0
Job1 got into Machine1 at 0
Job1 got into Queue3 at 1.0
Job1 got into Machine3 at 1.0
Job1 got into Queue2 at 4.0
Job1 got into Machine2 at 4.0
Job1 got into Exit at 6.0

```

Having only one Job it is very easy to confirm that we got the correct result.

Some notes on the code:

- We see that the *route* of the Job is given as a list of dictionaries. In every step the user has to give a list with the ids of the possible CoreObjects that the step can happen and also the data for the processing time if this is needed.
- This situation is different than the ones we have seen before because we have no Source type that creates Entities. The Job has to be set as WIP. For this reason the global auxiliary method *setWIP* is used. This takes a list of Job objects defined as WIP and sets them in the internal queue of the first station in their route. (So the Job1 is inserted in Queue1 in the example).
- Also, we do not have a predefined length of simulation; it will end when the Job exits the system. For this reason we run the simulation for infinite time, and SimPy.simulate will stop when there are no more events. Notice that if a user applies infinite time in a simulation that does not stop to produce events (like in the previous examples), then the execution of the model will never stop. With the line *G.maxSimTime=E.timeLastEntityLeft* after the execution of the simulation we can calculate the length of the simulation in case it is needed for future results (e.g. to calculate the working ratio of a Machine)

4.7.2 A Job-Shop with scheduling rules

For the model described in the previous example and in Figure 6 we assume now that we have 3 Jobs. For these Jobs we know:

- Job1:
 - It starts in Queue1 and it has to visit Machine1, Queue3, Machine3, Queue2 and Machine2 (in this sequence) before it exits the system
 - Its processing time in M1 is 1
 - Its processing time in M3 is 3

- Its processing time in M2 is 2
 - Its priority is 1
 - Its due date is 100
- Job2:
 - It starts in Queue1 and it has to visit Machine1, Queue2, Machine2, Queue3 and Machine3 (in this sequence) before it exits the system
 - Its processing time in M1 is 2
 - Its processing time in M2 is 4
 - Its processing time in M3 is 6
 - Its priority is 1
 - Its due date is 90
- Job3
 - It starts in Queue1 and it has to visit Machine1, Queue1 and Machine3 (in this sequence) before it exits the system
 - Its processing time in M1 is 10
 - Its processing time in M3 is 3
 - Its priority is 0
 - Its due date is 110

We see above two new attributes of the Job class. These are in reality optional arguments of the parent class (Entity).

- *priority* is an integer. The higher the value the higher the priority assigned to the Entity.
- *dueDate* is a float. It shows the time that the Entity should be out of the system (in case the Entity represents an order or something similar). If our simulation units are minutes and the due date is in exactly one week after the start of the simulation run, then *dueDate*=10080 (60*24*7).

As we see, all the Jobs start from Queue1. The default scheduling rule of a Queue object is FIFO, i.e. the Entity to arrive first in the Queue will be the first to be given in another CoreObject. Nevertheless, there are several more scheduling rules supported.

- **Priority**: the Entities are sorted in order of ascending predefined priority (the lowest priority is to leave the Queue first)
- **EDD**: the Entities are sorted in order of ascending predefined due date (Earliest Due Date)
- **EOD**: the Entities are sorted in order of ascending predefined order date (Earliest Order Date)
- **NumStages**: the Entities are sorted in order of descending number of stages that they have to pass.
- **RPC**: the Entities are sorted in order of descending total processing time of stages that they have to pass (Remaining Processing Time).
- **SPT**: the Entities are sorted in order of ascending processing time of the next Machine they have to pass (Shortest Processing Time).
- **LPT**: the Entities are sorted in order of descending processing time of the next Machine they have to pass (Logest Processing Time).
- **MS**: the Entities are sorted in order of ascending slack time. Slack time is defined as due date minus the remaining processing time
- **WINQ**: the Entities are sorted in order of ascending number of Entities in the next stage that the Entity has to pass through (Work In Next Queue).
- **MC**: This stands for Multiple Criteria and it is applied when we have many scheduling rules used. For example we may need to use Priority, but for the Entities that have equal *priorities* EDD will be applied.

(Note: An advanced user can add new scheduling rules by creating a CoreObject that inherits from Queue and overrides the *activeQSorter* method)

We start our model with the assumption that Priority is applied as scheduling rule in Queue1. The other 2 Queues will remain FIFO.

Below is the ManPy main script to run this model (dream\simulation\Examples\JobShop2Priority.py):

```
from dream.simulation.imports import MachineJobShop, QueueJobShop, ExitJobShop,
Globals, Job, G
from dream.simulation.imports import simulate, activate, initialize, infinity

#define the objects of the model
Q1=QueueJobShop('Q1', 'Queue1', capacity=infinity, schedulingRule="Priority")
Q2=QueueJobShop('Q2', 'Queue2', capacity=infinity)
Q3=QueueJobShop('Q3', 'Queue3', capacity=infinity)
M1=MachineJobShop('M1', 'Machine1')
M2=MachineJobShop('M2', 'Machine2')
M3=MachineJobShop('M3', 'Machine3')
E=ExitJobShop('E', 'Exit')

G.ObjList=[M1,M2,M3,Q1,Q2,Q3,E] #add all the objects in G.ObjList so that they
can be easier accessed later

#define predecessors and successors for the objects
Q1.defineRouting(successorList=[M1])
Q2.defineRouting(successorList=[M2])
Q3.defineRouting(successorList=[M3])
M1.defineRouting(predecessorList=[Q1])
M2.defineRouting(predecessorList=[Q2])
M3.defineRouting(predecessorList=[Q3])

#define the routes of the Jobs in the system
J1Route=[{"stationIdsList": ["Q1"]},
          {"stationIdsList": ["M1"], "processingTime":{"distributionType":
"Fixed", "mean": "1"}},
          {"stationIdsList": ["Q3"]},
          {"stationIdsList": ["M3"], "processingTime":{"distributionType":
"Fixed", "mean": "3"}},
          {"stationIdsList": ["Q2"]},
          {"stationIdsList": ["M2"], "processingTime":{"distributionType":
"Fixed", "mean": "2"}},
          {"stationIdsList": ["E"],}]
J2Route=[{"stationIdsList": ["Q1"]},
          {"stationIdsList": ["M1"], "processingTime":{"distributionType":
"Fixed", "mean": "2"}},
          {"stationIdsList": ["Q2"]},
          {"stationIdsList": ["M2"], "processingTime":{"distributionType":
"Fixed", "mean": "4"}},
          {"stationIdsList": ["Q3"]},
          {"stationIdsList": ["M3"], "processingTime":{"distributionType":
"Fixed", "mean": "6"}},
          {"stationIdsList": ["E"],}]
J3Route=[{"stationIdsList": ["Q1"]},
          {"stationIdsList": ["M1"], "processingTime":{"distributionType":
"Fixed", "mean": "10"}},
          {"stationIdsList": ["Q3"]},
          {"stationIdsList": ["M3"], "processingTime":{"distributionType":
"Fixed", "mean": "3"}},
          {"stationIdsList": ["E"],}]
```

```

#define the Jobs
J1=Job('J1','Job1',route=J1Route, priority=1, dueDate=100)
J2=Job('J2','Job2',route=J2Route, priority=1, dueDate=90)
J3=Job('J3','Job3',route=J3Route, priority=0, dueDate=110)
G.JobList=[J1,J2,J3]          #a list to hold all the jobs

G.maxSimTime=1440.0           #set G.maxSimTime 1440.0 minutes (1 day)

def main():
    initialize()               #initialize the simulation (SimPy method)

    #initialize all the objects
    for object in G.ObjList:
        object.initialize()

    #initialize all the jobs
    for job in G.JobList:
        job.initialize()

    #set the WIP for all the jobs
    Globals.setWIP(G.JobList)

    #activate all the objects
    for object in G.ObjList:
        activate(object, object.run())

    simulate(until=G.maxSimTime)    #run the simulation

    #output the schedule of every job
    returnSchedule=[]           # dummy variable used just for returning values and
testing
    for job in G.JobList:
        #loop in the schedule to print the results
        for record in job.schedule:
            #schedule holds ids of objects. The following loop will identify the
name of the CoreObject with the given id
            name=None
            returnSchedule.append([record[0].objName,record[1]])
            print job.name, "got into", record[0].objName, "at", record[1]
        print "-"*30
    return returnSchedule

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

Job1 got into Queue1 at 0
Job1 got into Machine1 at 10.0
Job1 got into Queue3 at 11.0
Job1 got into Machine3 at 13.0
Job1 got into Queue2 at 16.0
Job1 got into Machine2 at 17.0
Job1 got into Exit at 19.0
-----
Job2 got into Queue1 at 0
Job2 got into Machine1 at 11.0
Job2 got into Queue2 at 13.0
Job2 got into Machine2 at 13.0
Job2 got into Queue3 at 17.0
Job2 got into Machine3 at 17.0
Job2 got into Exit at 23.0
-----
Job3 got into Queue1 at 0
Job3 got into Machine1 at 0
Job3 got into Queue3 at 10.0
Job3 got into Machine3 at 10.0
Job3 got into Exit at 13.0
-----

```

We see that Job3 having the highest (lowest value) *priority* was the first to go to Machine1. The other two Jobs had equal priorities, so FIFO was applied (observing the loop where the WIP is set one can see the Job1 was added to Queue1 before Job2).

To test how the model works if Queue1 follows the Earliest Due Date rule we have only to change the definition of Queue1 in our code (dream\simulation\Examples\JobShop2EDD.py):

```
Q1=QueueJobShop('Q1','Queue1', capacity=infinity, schedulingRule="EDD")
```

Running the model we get the following in our console:

```

Job1 got into Queue1 at 0
Job1 got into Machine1 at 2.0
Job1 got into Queue3 at 3.0
Job1 got into Machine3 at 3.0
Job1 got into Queue2 at 6.0
Job1 got into Machine2 at 6.0
Job1 got into Exit at 8.0
-----
Job2 got into Queue1 at 0
Job2 got into Machine1 at 0
Job2 got into Queue2 at 2.0
Job2 got into Machine2 at 2.0
Job2 got into Queue3 at 6.0
Job2 got into Machine3 at 6.0
Job2 got into Exit at 12.0
-----
Job3 got into Queue1 at 0
Job3 got into Machine1 at 3.0
Job3 got into Queue3 at 13.0
Job3 got into Machine3 at 13.0
Job3 got into Exit at 16.0
-----

```

We see that Job2 having the earliest *dueDate* was the first to go to Machine1. Then Job1 followed and Job3 was the last.

To test how the model works if Queue1 follows the Remaining Process Time rule we have only to change the definition of Queue1 in our code (dream\simulation\Examples\JobShop2RPC.py):

```
Q1=QueueJobShop('Q1','Queue1', capacity=infinity, schedulingRule="RPC")
```

Running the model we get the following in our console:

```
Job1 got into Queue1 at 0
Job1 got into Machine1 at 12.0
Job1 got into Queue3 at 13.0
Job1 got into Machine3 at 13.0
Job1 got into Queue2 at 16.0
Job1 got into Machine2 at 16.0
Job1 got into Exit at 18.0
-----
Job2 got into Queue1 at 0
Job2 got into Machine1 at 10.0
Job2 got into Queue2 at 12.0
Job2 got into Machine2 at 12.0
Job2 got into Queue3 at 16.0
Job2 got into Machine3 at 16.0
Job2 got into Exit at 22.0
-----
Job3 got into Queue1 at 0
Job3 got into Machine1 at 0
Job3 got into Queue3 at 10.0
Job3 got into Machine3 at 10.0
Job3 got into Exit at 13.0
-----
```

We see that Job3 having the greatest remaining processing time was the first to go to Machine1. Then Job2 followed and Job1 was the last.

Finally, we want to test how the model works if Queue1 follows a multi criteria rule. First Priority is applied, and if Jobs have equal priorities, then EDD is applied we have only to change the definition of Queue1 in our code (dream\simulation\Examples\JobShop2MC.py):

```
Q1=QueueJobShop('Q1','Queue1', capacity=infinity, schedulingRule="MC-Priority-EDD")
```

We see that to define a multi criteria rule, we use MC and then the scheduling rules according to their sequence. All the scheduling rules are separated with "-".

Running the model we get the following in our console:

```

Job1 got into Queue1 at 0
Job1 got into Machine1 at 12.0
Job1 got into Queue3 at 13.0
Job1 got into Machine3 at 13.0
Job1 got into Queue2 at 16.0
Job1 got into Machine2 at 16.0
Job1 got into Exit at 18.0
-----
Job2 got into Queue1 at 0
Job2 got into Machine1 at 10.0
Job2 got into Queue2 at 12.0
Job2 got into Machine2 at 12.0
Job2 got into Queue3 at 16.0
Job2 got into Machine3 at 16.0
Job2 got into Exit at 22.0
-----
Job3 got into Queue1 at 0
Job3 got into Machine1 at 0
Job3 got into Queue3 at 10.0
Job3 got into Machine3 at 10.0
Job3 got into Exit at 13.0
-----

```

We see that having the highest (lowest value) *priority*, Job3 was the first to get into Machine1. Contrary to the first example of this subsection though (JobShop2Priority.py), now Job2 is the second Job to go to the Machine. This happens because it has an earlier due date (*dueDate*) than Job1.

4.8 Output trace to Excel

Simulation programs are notoriously difficult to debug. One asset that ManPy objects offer in order to enhance debugging is the feature of outputting trace to Excel. All ManPy objects output to the same Excel file and the events are sorted in increasing timestamp. The trace is essential for debugging. To run a model that is believed to be verified, it should be turned off since it slows the program significantly.

dream\simulation\Examples\JobShop1Trace.py runs the same model as dream\simulation\Examples\JobShop1.py with the difference that trace is outputted. In order to achieve this 3 additions are required:

- Import ExcelHandler (script that holds Excel related methods.):
`import simulation.ExcelHandler`
- Set the global *trace* variable to 'Yes' (note that this is case sensitive) at the start of the main script:

```
G.trace="Yes"
```

- Call the *outputTrace* method of the ExcelHandler at the end of the main script. The argument is optional and gives the filename, (default value is 'Trace')

```
simulation.ExcelHandler.outputTrace('TRACE')
```

Running the script TRACE.xls will be created with the following contents:

0	Job1	releases Queue1
0	Job1	got into Machine1
1	Job1	ended processing in Machine1
1	Job1	releases Machine1

1	Job1	got into Queue3
1	Job1	releases Queue3
1	Job1	got into Machine3
4	Job1	ended processing in Machine3
4	Job1	releases Machine3
4	Job1	got into Queue2
4	Job1	releases Queue2
4	Job1	got into Machine2
6	Job1	ended processing in Machine2
6	Job1	releases Machine2
6	Job1	exited the system

Note that every object has its own *outputTrace* method which a user can customize. Of course this can also be omitted if it is not desirable for the object to output trace at all.

4.9 Batches and SubBatches

4.9.1 Batch decomposition

There are cases in production lines where units are grouped in batches. The units belonging to the same batch carry the same identification parameters. For further processing in different stations the batches are segregated in sub-batches. Sub-batches or batches cannot be mixed during the processing throughout the line. In order to model this behaviour, a number of new objects are introduced. In this example, a source creating butches and an object breaking the batches into sub-batches are presented.

Figure 7 depicts the model discussed in this example. A source creates batches with a specified number of units which then enter an input buffer of a machine. The machine can only operate on sub-batches. Thus, just before the entry of the machine the batches have to be broken into a specified number of sub-batches depending on a predefined number of units per sub-batches. For this purpose, a batch decomposition object is placed between the buffer unit and the machine. The exit acts as a drain for the already processed sub-batches.




Figure 7: a simple batch decomposition example

ManPy object repository contains the following objects in order to model the described behaviour:

- **BatchSource**: inherits from Source and overrides the logic of the methods `__init__` and `createEntity` so as to create entities of type Batch with a specified number of units.
- **BatchDecomposition**: inherits from the CoreObject and introduces a new method `decompose` in order to provide the functionality of splitting a batch into sub-batches. It also overrides the logic of the methods `canAccept`, `haveToDispose`, `canAcceptAndIsRequested`, and `run` in order to prohibit the mixing up of the sub-batches (should not be able to accept a new Batch if there are already SubBatches in the object). `run` method should also be able to hold a track of the batches already decomposed which may later on reassembled.
- **Batch**: inherits from Entity but introduces the attributes `numberOfUnits` that holds, `numberOfSubBatches` that it is broken into, and `subBatchList` that holds the sub-batches that it is broken into.
- **SubBatch**: inherits from Entity also. It holds in one of its attributes an identifier parameter of the Batch it derived from.

In our first simple example we assume that we have only one Machine operating on SubBatches and its corresponding BatchDecomposition object. Our data for this example is:

- The BatchSource Source creates Batches with a certain *numberOfUnits*,
- The newly created Batches enter the buffer of the machine (StartQueue),
- The Batches are decomposed into SubBatches in the BatchDecomposition with a processing time of 1,
- the processing time of the Machine is 0.5

Below is the ManPy main script to run this model

(dream\simulation\Examples\DecompositionOfBatches.py):

```
from dream.simulation.imports import Machine, BatchSource, Exit, Batch,
BatchDecomposition, Queue, G
from dream.simulation.imports import simulate, activate, initialize

# define the objects of the model
S=BatchSource('S', 'Source', interarrivalTime={'distributionType': 'Fixed', 'mean':0
.5}, entity='Dream.Batch', batchNumberOfUnits=4)
Q=Queue('Q', 'StartQueue', capacity=100000)
BD=BatchDecomposition('BC', 'BatchDecomposition', numberOfSubBatches=4,
processingTime={'distributionType': 'Fixed', 'mean':1})
M=Machine('M', 'Machine', processingTime={'distributionType': 'Fixed', 'mean':0.5})
E=Exit('E', 'Exit')
# add all the objects in the G.ObjList so that they can be easier accessed later
G.ObjList=[S,Q,BD,M,E]
# define the predecessors and successors for the objects
S.defineRouting([Q])
Q.defineRouting([S],[BD])
BD.defineRouting([Q],[M])
M.defineRouting([BD],[E])
E.defineRouting([M])

def main():
    # initialize the simulation (SimPy method)
    initialize()
    # initialize all the objects
    for object in G.ObjList:
        object.initialize()
    # activate all the objects
    for object in G.ObjList:
        activate(object,object.run())
    # set G.maxSimTime 1440.0 minutes (1 day)
    G.maxSimTime=1440.0
    # run the simulation
    simulate(until=G.maxSimTime)
    # carry on the post processing operations for every object in the topology
    for object in G.ObjList:
        object.postProcessing()
    # print the results
    print "the system produced", E.numOfExits, "subbatches"
    working_ratio = (M.totalWorkingTime/G.maxSimTime)*100
    blockage_ratio = (M.totalBlockageTime/G.maxSimTime)*100
    waiting_ratio = (M.totalWaitingTime/G.maxSimTime)*100
    print "the working ratio of", M.objName, "is", working_ratio
    print "the blockage ratio of", M.objName, "is", blockage_ratio
    print "the waiting ratio of", M.objName, "is", waiting_ratio
    return {"subbatches": E.numOfExits,
            "working_ratio": working_ratio,
            "blockage_ratio": blockage_ratio,
```



```
        "waiting_ratio": waiting_ratio}

if __name__ == '__main__':
    main()
```

Running the model we get the following in our console:

```
the system produced 2303 parts
the working ratio of Machine is 79.9652777778
the blockage ratio of Machine is 0.0
the waiting ratio of Machine is 20.0347222222
```

Some notes on the code:

- Batch and SubBatch are normal Entities with some additional attributes. No individual units for each Batch or SubBatch are taken into consideration for the modelling of the behaviour of these lines.
- BatchSource is in all aspects a normal Source creating Entities of type Batch.
- The newly introduced method *decompose* of the BatchDecomposition object is complementary to the method *reassemble* which will be presented later on.
- These operations (decomposing or processing on a station) are performed by operators. Such functionality will be later on introduced.

4.9.2 Serial Batch Processing

In this example we will introduce one more object developed in order to model the behaviour of a manufacturing line operating on Batches and SubBatches. As mentioned earlier, the *decompose* method of BatchDecomposition object should have a complementary method in order to output full Batches at the exit of the manufacturing line. The object implementing this functionality is named BatchReassembly.

The example presenting the use of this object is depicted in Figure 8. A source creates batches with a specified number of units which then enter an input buffer of a machine. The newly created Batches enter first a buffer Queue1 of Machine1. Machine1 can process only a smaller number of units, thus a group of units named sub-batch. A BatchDecomposition unit is placed before the Machine1. The SubBatch after being processed by Machine1 enters Queue2 which act as a buffer for Machine2. After being processed by Machine2 the SubBatches must be reassembled into Batches before being processed by Machine3 which operates only on Batches. For this purpose a BatchReassembly object is placed after Machine2 and before Machine3. BatchReassembly can only assemble SubBatches which are derived from the same Batch. Finally, the exit acts as a drain for the already processed sub-batches.




Figure 8: a simple batch decomposition and batch reassembly example

ManPy object repository contains the following object in order to model the described behaviour:

- **BatchReassembly:** inherits from the CoreObject and introduces a new method *reassemble* which reassembles a number of SubBatches derived from the same Batch. It also overrides the logic of the methods *canAccept*, *haveToDispose*, *canAcceptAndIsRequested*, and *run* in order to prohibit the mixing up of the sub-batches. The BatchReassembly should not be able to accept new SubBatches if they are not derived from the same Batch or if it holds an Entity of type Batch. The Batches reassembled should be removed from the list of Batches that wait to be reassembled. In addition it should be able to hand in an Entity to its successors only if the Entity is of type Batch.

In the current example, we consider 3 Machines of two different types, two Machines operating on SubBatches and one Machine operating on Batches. The Machine operating on Batches follows the processing done on Machine1 and Machine2. Therefore, a need for the use of a BatchReassembly object is introduced. Our data for this example is:

- BatchSource Source creates Batches with a certain *numberOfUnits*,
- The newly created Batches enter the buffer of the Machine1 (StartQueue),
- The Batch is then decomposed into SubBatches in the the BatchDecomposition. The processing time of the BatchDecomposition has a value of 1.
- The SubBatches are then processed by Machine1 and Machine2. Between a buffer Queue1 with capacity of 2 is placed. The processing times for these machines is 0.5 and 1 respectively.
- The Batches are reassembled into Batches in BatchReassembly. The reassembly is performed instantly while the processing time of Machine3, which lies just after BatchReassembly, is 1.

Below is the ManPy main script to run this model

(dream\simulation\Examples\SerialBatchProcessing.py):

```
from dream.simulation.imports import Machine, BatchSource, Exit, Batch,
BatchDecomposition, BatchReassembly, Queue, G
from dream.simulation.imports import simulate, activate, initialize

# define the objects of the model
S=BatchSource('S', 'Source', interarrivalTime={'distributionType': 'Fixed', 'mean':1
.5}, entity='Dream.Batch', batchNumberOfUnits=100)
Q=Queue('Q', 'StartQueue', capacity=100000)
BD=BatchDecomposition('BC', 'BatchDecomposition', numberOfSubBatches=4,
processingTime={'distributionType': 'Fixed', 'mean':1})
M1=Machine('M1', 'Machine1', processingTime={'distributionType': 'Fixed', 'mean':0.5
})
Q1=Queue('Q1', 'Queue1', capacity=2)
M2=Machine('M2', 'Machine2', processingTime={'distributionType': 'Fixed', 'mean':1})
BRA=BatchReassembly('BRA', 'BatchReassembly', numberOfSubBatches=4,
processingTime={'distributionType': 'Fixed', 'mean':0})
M3=Machine('M3', 'Machine3', processingTime={'distributionType': 'Fixed', 'mean':1})
E=Exit('E', 'Exit')
# add all the objects in the G.ObjList so that they can be easier accessed later
G.ObjList=[S,Q,BD,M1,Q1,M2,BRA,M3,E]
# define the predecessors and successors for the objects
S.defineRouting([Q])
Q.defineRouting([S],[BD])
BD.defineRouting([Q],[M1])
M1.defineRouting([BD],[Q1])
Q1.defineRouting([M1],[M2])
M2.defineRouting([Q1],[BRA])
BRA.defineRouting([M2],[M3])
M3.defineRouting([BRA],[E])
E.defineRouting([M3])

def main():
    # initialize the simulation (SimPy method)
    initialize()
    # initialize all the objects
    for object in G.ObjList:
        object.initialize()
    # activate all the objects
    for object in G.ObjList:
        activate(object,object.run())
    # set G.maxSimTime 1440.0 minutes (1 day)
    G.maxSimTime=1440.0
```

```

# run the simulation
simulate(until=G.maxSimTime)
# carry on the post processing operations for every object in the topology
for object in G.ObjList:
    object.postProcessing()
# print the results
print "the system produced", E.numOfExits, "batches"
working_ratio_M1 = (M1.totalWorkingTime/G.maxSimTime)*100
blockage_ratio_M1 = (M1.totalBlockageTime/G.maxSimTime)*100
waiting_ratio_M1 = (M1.totalWaitingTime/G.maxSimTime)*100
print "the working ratio of", M1.objName, "is", working_ratio_M1
print "the blockage ratio of", M1.objName, 'is', blockage_ratio_M1
print "the waiting ratio of", M1.objName, 'is', waiting_ratio_M1
working_ratio_M2 = (M2.totalWorkingTime/G.maxSimTime)*100
blockage_ratio_M2 = (M2.totalBlockageTime/G.maxSimTime)*100
waiting_ratio_M2 = (M2.totalWaitingTime/G.maxSimTime)*100
print "the working ratio of", M2.objName, "is", working_ratio_M2
print "the blockage ratio of", M2.objName, 'is', blockage_ratio_M2
print "the waiting ratio of", M2.objName, 'is', waiting_ratio_M2
working_ratio_M3 = (M3.totalWorkingTime/G.maxSimTime)*100
blockage_ratio_M3 = (M3.totalBlockageTime/G.maxSimTime)*100
waiting_ratio_M3 = (M3.totalWaitingTime/G.maxSimTime)*100
print "the working ratio of", M3.objName, "is", working_ratio_M3
print "the blockage ratio of", M3.objName, 'is', blockage_ratio_M3
print "the waiting ratio of", M3.objName, 'is', waiting_ratio_M3

return {"batches": E.numOfExits,
        "working_ratio_M1": working_ratio_M1,
        "blockage_ratio_M1": blockage_ratio_M1,
        "waiting_ratio_M1": waiting_ratio_M1,
        "working_ratio_M2": working_ratio_M2,
        "blockage_ratio_M2": blockage_ratio_M2,
        "waiting_ratio_M2": waiting_ratio_M2,
        "working_ratio_M3": working_ratio_M3,
        "blockage_ratio_M3": blockage_ratio_M3,
        "waiting_ratio_M3": waiting_ratio_M3,
        }

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

the system produced 359 parts
the working ratio of Machine1 is 50.0694444444
the blockage ratio of Machine1 is 49.8263888889
the waiting ratio of Machine1 is 0.104166666667
the working ratio of Machine2 is 99.8958333333
the blockage ratio of Machine2 is 0.0
the waiting ratio of Machine2 is 0.104166666667
the working ratio of Machine3 is 24.9305555556
the blockage ratio of Machine3 is 0.0
the waiting ratio of Machine3 is 75.0694444444

```

4.9.3 Clearing batch lines

In the previous example, there exists a buffer between the two consequent stations that are processing the SubBatches. In such stations, there may be a case where the units constituting the SubBatches are processed separately. For reasons of simplicity we assume that the SubBatches are processed as a bulk group of units which cannot be further segregated. Contrary to the modelling practice though, operators perform work on each individual unit of the SubBatch. For fear that the units may get mixed up and thus “dirty” the SubBatches, it is a common practice to try keeping the Buffer before each Machine/station clear from other SubBatches other than the one being currently processed in the station. The object LineClearance is introduced to model this behaviour.

The flow described in Figure 7 is the same with the one used in the current example. The common Queue2 between Machine1 and Machine2 is replaced with the LineClearance object though.

ManPy object repository contains the following objects in order to model the described behaviour:

- **LineClearance:** inherits from the Queue generic object and overrides the *canAccept* and *canAcceptAndIsRequested* methods. These methods should now return true if the buffer is empty or if the predecessor requests to hand in a SubBatch with the same batchId as the ones that the buffer holds.

The data of this example are similar to example 4.10. The Queue2 Queue object is replaced by a LineClearance Queue with capacity of 2 SubBatches. In addition, the processing time of Machine2 is increased to 4 time units. This will eventually lead to an increased waiting time for Machine3.

Below is the ManPy main script to run this model
(dream\simulation\Examples\ClearBatchLines.py):

```
from dream.simulation.imports import Machine, Source, Exit, Batch,
BatchDecomposition, \
                                BatchSource, BatchReassembly, Queue, LineClearance,
ExcelHandler, G, ExcelHandler
from dream.simulation.imports import simulate, activate, initialize

# choose to output trace or not
G.trace='Yes'
# define the objects of the model
S=BatchSource('S', 'Source', interarrivalTime={'distributionType': 'Fixed', 'mean':1
.5}, entity='Dream.Batch', batchNumberOfUnits=100)
Q=Queue('Q', 'StartQueue', capacity=100000)
BD=BatchDecomposition('BC', 'BatchDecomposition', numberOfSubBatches=4,
processingTime={'distributionType': 'Fixed', 'mean':1})
M1=Machine('M1', 'Machine1', processingTime={'distributionType': 'Fixed', 'mean':0.5
})
Q1=LineClearance('Q1', 'Queue1', capacity=2)
M2=Machine('M2', 'Machine2', processingTime={'distributionType': 'Fixed', 'mean':4})
BRA=BatchReassembly('BRA', 'BatchReassembly', numberOfSubBatches=4,
processingTime={'distributionType': 'Fixed', 'mean':0})
M3=Machine('M3', 'Machine3', processingTime={'distributionType': 'Fixed', 'mean':1})
E=Exit('E', 'Exit')
# add all the objects in the G.ObjList so that they can be easier accessed later
G.ObjList=[S,Q,BD,M1,Q1,M2,BRA,M3,E]
# define the predecessors and successors for the objects
S.defineRouting([Q])
Q.defineRouting([S], [BD])
BD.defineRouting([Q], [M1])
M1.defineRouting([BD], [Q1])
Q1.defineRouting([M1], [M2])
M2.defineRouting([Q1], [BRA])
```

```

BRA.defineRouting([M2],[M3])
M3.defineRouting([BRA],[E])
E.defineRouting([M3])

def main():
    # initialize the simulation (SimPy method)
    initialize()
    # initialize all the objects
    for object in G.ObjList:
        object.initialize()
    # activate all the objects
    for object in G.ObjList:
        activate(object,object.run())
    # set G.maxSimTime 1440.0 minutes (1 day)
    G.maxSimTime=1440.0
    # run the simulation
    simulate(until=G.maxSimTime)
    # carry on the post processing operations for every object in the topology
    for object in G.ObjList:
        object.postProcessing()
    # print the results
    print "the system produced", E.numOfExits, "batches"
    working_ratio_M1 = (M1.totalWorkingTime/G.maxSimTime)*100
    blockage_ratio_M1 = (M1.totalBlockageTime/G.maxSimTime)*100
    waiting_ratio_M1 = (M1.totalWaitingTime/G.maxSimTime)*100
    print "the working ratio of", M1.objName, "is", working_ratio_M1
    print "the blockage ratio of", M1.objName, 'is', blockage_ratio_M1
    print "the waiting ratio of", M1.objName, 'is', waiting_ratio_M1
    working_ratio_M2 = (M2.totalWorkingTime/G.maxSimTime)*100
    blockage_ratio_M2 = (M2.totalBlockageTime/G.maxSimTime)*100
    waiting_ratio_M2 = (M2.totalWaitingTime/G.maxSimTime)*100
    print "the working ratio of", M2.objName, "is", working_ratio_M2
    print "the blockage ratio of", M2.objName, 'is', blockage_ratio_M2
    print "the waiting ratio of", M2.objName, 'is', waiting_ratio_M2
    working_ratio_M3 = (M3.totalWorkingTime/G.maxSimTime)*100
    blockage_ratio_M3 = (M3.totalBlockageTime/G.maxSimTime)*100
    waiting_ratio_M3 = (M3.totalWaitingTime/G.maxSimTime)*100
    print "the working ratio of", M3.objName, "is", working_ratio_M3
    print "the blockage ratio of", M3.objName, 'is', blockage_ratio_M3
    print "the waiting ratio of", M3.objName, 'is', waiting_ratio_M3

    return {"batches": E.numOfExits,
            "working_ratio_M1": working_ratio_M1,
            "blockage_ratio_M1": blockage_ratio_M1,
            "waiting_ratio_M1": waiting_ratio_M1,
            "working_ratio_M2": working_ratio_M2,
            "blockage_ratio_M2": blockage_ratio_M2,
            "waiting_ratio_M2": waiting_ratio_M2,
            "working_ratio_M3": working_ratio_M3,
            "blockage_ratio_M3": blockage_ratio_M3,
            "waiting_ratio_M3": waiting_ratio_M3,
            }

if __name__ == '__main__':
    main()

```

Running the model we get the following in our console:

```

the system produced 89 parts
the working ratio of Machine1 is 12.6041666667
the blockage ratio of Machine1 is 87.3263888889
the waiting ratio of Machine1 is 0.06944444444444
the working ratio of Machine2 is 99.8958333333
the blockage ratio of Machine2 is 0.0
the waiting ratio of Machine2 is 0.104166666667
the working ratio of Machine3 is 6.18055555556
the blockage ratio of Machine3 is 0.0
the waiting ratio of Machine3 is 93.8194444444

```

The blockage ratio of Machine1 is drastically increased as LineClearance buffer of Machine2 has to be cleared from the the currently processed Batch first before it is loaded with SubBatches from a different Batch. ClearBatchLines.xls is also generated and has the following contents:

0	Batch0	generated
0	Batch0	released Source
0	Batch0	got into StartQueue
0	Batch0	released StartQueue
0	Batch0	got into BatchDecomposition
1	Batch0_SB_0	released BatchDecomposition
1	Batch0_SB_0	got into Machine1
1.5	Batch1	generated
1.5	Batch0_SB_0	ended processing in Machine1
1.5	Batch1	released Source
1.5	Batch1	got into StartQueue
1.5	Batch0_SB_0	released Machine1
1.5	Batch0_SB_0	got into Queue1
1.5	Batch0_SB_0	released Queue1
1.5	Batch0_SB_0	got into Machine2
1.5	Batch0_SB_1	released BatchDecomposition
1.5	Batch0_SB_1	got into Machine1
2.0	Batch0_SB_1	ended processing in Machine1
2.0	Batch0_SB_1	released Machine1
2.0	Batch0_SB_1	got into Queue1
2.0	Batch0_SB_2	released BatchDecomposition
2.0	Batch0_SB_2	got into Machine1
2.5	Batch0_SB_2	ended processing in Machine1
2.5	Batch0_SB_2	released Machine1
2.5	Batch0_SB_2	got into Queue1
2.5	Batch0_SB_3	released BatchDecomposition
2.5	Batch0_SB_3	got into Machine1
2.5	Batch1	released StartQueue
2.5	Batch1	got into BatchDecomposition
3.0	Batch2	generated

The notation Batch1, 2, etc. denote the Batches generated by the BatchSource Source. Respectively, the suffixes _SB_0, 2, etc. of the names in the second column denote each separate SubBatch belonging to Batch Batch0, 1, etc.

4.10 Output Analysis

Dream aims to offer methods for output analysis of the simulation results. This is currently work in progress existing in dream/simulation/outputanalysis. In order to be able to use this modules, R (<http://www.r-project.org/>) and Rpy2 (<http://rpy.sourceforge.net/rpy2.html>) should be installed.

As an example we demonstrate dream\simulation\Examples\TwoServersPlots.py that is similar to the TwoServers example but it also outputs a pie that presents graphically the percentage of time that the repairman is busy or idle.

The new entries on the code are:

- In the beginning the Graphs module is imported:

```
from dream.KnowledgeExtraction.Plots import Graphs
```
- After the simulation run the values for the pie are calculated:

```
#calculate the percentages for the pie  
repairmanWorkingRatio=R.totalWorkingTime/G.maxSimTime*100  
repairmanWaitingRatio=R.totalWaitingTime/G.maxSimTime*100
```
- Then a Graph object is created and the *Pie* method is called in order to create the output file

```
#create a graph object  
graph=Graphs()  
#create the pie  
graph.Pie([repairmanWorkingRatio,repairmanWaitingRatio], "repairmanPie.jpg")
```

Running the script the user gets in addition to the console output repairmanPie.jpg that contains the following graph:




Figure 9: the pie